Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

Reports of States and yearly and monthly reports of cities of the United States.

CALIFORNIA—*Sacramento.*—Month of October, 1899. Estimated population, 30,000. Total number of deaths, 31, including diphtheria, 2: scarlet fever, 1, and 5 from phthisis pulmonalis.

San Francisco.—Month of September, 1899. Estimated population, 360,000. Total number of deaths, 512, including diphtheria, 2; enteric fever, 7, and 48 from tuberculosis.

COLORADO—*Denver.*—Month of October, 1899. Estimated population, 170,000. Total number of deaths, 181, including diphtheria, 4; enteric fever, 6; scarlet fever, 1, and 44 from phthisis pulmonalis.

CONNECTICUT.—Reports to the State board of health for the month of October, 1899, from 167 towns having an aggregate estimated population of 911,579, show a total of 1,036 deaths, including diphtheria, 27; enteric fever, 30; measles, 1; scarlet fever, 3; whooping cough, 7; cerebro-spinal meningitis, 3, and 98 from phthisis pulmonalis.

Bridgeport.—Month of October, 1899. Estimated population, 65,000. Total number of deaths, 78, including enteric fever, 1, and 17 from tuberculosis.

IOWA—*Davenport.*—Month of October, 1899. Estimated population, 40,000. Total number of deaths, 38, including enteric fever, 2, and 4 from phthisis pulmonalis.

MARYLAND—*Baltimore.*—Month of October, 1899. Estimated population, 541,000—white, 463,000; colored, 78,000. Total number of deaths, 792—white, 613; colored, 179, including diphtheria, 33; enteric fever, 26; scarlet fever, 1, and 95 from phthisis pulmonalis.

MICHIGAN.—Reports to the State board of health, Lansing, for the week ended November 11, 1899, from 67 observers, indicate that influenza and pneumonia increased, and erysipelas, scarlet fever, pleuritis, intermittent fever, and diarrhea, decreased in area of prevalence. Phthisis pulmonalis was reported present at 205, enteric fever at 104, diphtheria at 39, scarlet fever at 69, measles at 29, whooping cough at 18, smallpox at 10, and cerebro-spinal meningitis at 2 places.

NEW HAMPSHIRE—*Manchester.*—Month of October, 1899. Estimated population, 60,000. Total number of deaths, 87, including 15 from phthisis pulmonalis.

NEW YORK—*Auburn.*—Month of October, 1899. Estimated population, 35,000. Total number of deaths, 33, including diphtheria, 3; enteric fever, 3, and 6 from phthisis pulmonalis.

Buffalo.—Month of October, 1899. Estimated population, 370,000. Total number of deaths, 371, including diphtheria, 5; enteric fever, 11; scarlet fever, 1; whooping cough, 2, and 44 from phthisis pulmonalis.

PENNSYLVANIA—*Scranton.*—Month of October, 1899. Estimated population, 105,000. Total number of deaths, 137, including diphtheria, 25; enteric fever, 7, and 2 from phthisis pulmonalis.

Williamsport.—Month of September, 1899. Estimated population,

35,000. Total number of deaths 23, including diphtheria, 1; enteric fever, 3; whooping cough, 1, and 1 from phthisis pulmonalis.

Month of October, 1899. Total number of deaths, 29, including diphtheria, 1; enteric fever, 1; whooping cough, 1, and 4 from phthisis pulmonalis.

WASHINGTON—*Seattle.*—Month of October, 1899. Estimated population, 75,000. Total number of deaths, 51, including enteric fever, 1; scarlet fever, 1; whooping cough, 1, and 8 from phthisis pulmonalis.

MORTALITY TABLE, CITIES OF THE UNITED STATES.

Cities.	Week ended.	Population, U. S. Census of 1890.	Total deaths from all causes.	Deaths from— Tuberculosis.	Yellow fever.	Smallpox.	Varioloid.	Cholera.	Typhus fever.	Enteric fever.	Scarlet fever.	Diphtheria.	Measles.	Whooping cough.
Ashtabula, Ohio	Nov. 17	8,338	4	3										
Baltimore, Md	Nov. 18	434,439	165	13						8		7		
Baton Rouge, La	do	10,478	1											
Bay City, Mich	do	27,839	5	2										
Bennington, Vt	Nov. 16	6,391								1				
Binghamton, N. Y	Nov. 18	35,005	12	1										
Boston, Mass	do	448,477	201	15						4		8		1
Brockton, Mass	Nov. 11	27,294	5	1						1				
Bucyrus, Ohio	do	5,974	1											
Cambridge, Mass	Nov. 18	70,028	23	1								1		
Charleston, S. C	Nov. 11	a54,955	b31	5						3				
Chelsea, Mass	do	27,909	10	2		1								
Chicago, Ill	Nov. 18	1,099,850	451	48						10	15	24	2	2
Chillicothe, Ohio	Nov. 11	11,288	5	1										
Cincinnati, Ohio	Nov. 4	296,908		10							1	1		
Do	Nov. 11	296,908		12						2		4		
Do	Nov. 18	296,908		17						1	1	2		
Dayton, Ohio	do	61,220	26	1						1				
Detroit, Mich	Nov. 4	205,876	89	7						2		4	2	
Do	Nov. 11	205,876	88	5						1		3	1	
Dubois, Pa	Nov. 18	6,149	2											
Dunkirk, N. Y	Nov. 11	9,416	6											
Dunmore, Pa	Nov 18	8,315	7									1		
Elmira, N. Y	Nov. 11	29,708	6	2								1		
Erie, Pa	Nov. 18	40,634	14	2						1	2			
Evansville, Ind	do	50,756	11							3				1
Everett, Mass	Nov. 11	11,068	8	4						1				
Fitchburg, Mass	do	22,037	6	1										
Grand Rapids, Mich	Nov. 18	60,278	23	4						3		2		
Green Bay, Wis	Nov. 19	9,069	5											
Greenville, S. C	Nov. 11	8,607	5	1										
Do	Nov. 18	8,607	0											
Holyoke, Mass	do	35,637	6	1										
Jersey City, N. J	Nov. 12	163,003	57	2						2		1		
Do	Nov. 19	163,003	75	5						3		2		
Johnstown, Pa	Nov. 18	21,805	11	2						3		1		
Lancaster, Pa	do	32,011	13	2						1		2		
Lansingburg, N. Y	Oct. 7	10,550	4	2										
Do	Oct. 14	10,550	3											
Do	Oct. 21	10,550	7	1										
Do	Oct. 28	10,550	6	1						1				
Do	Nov. 4	10,550	8	11								1		
Do	Nov. 11	10,550	5									2		
Lawrence, Mass	do	44,654	19	1								1		
Los Angeles, Cal	do	50,375	23	9								1		
Louisville, Ky	Nov. 9	161,129	64	11						2				
Do	Nov. 16	161,129	48	6						2				
Lowell, Mass	Nov. 18	77,696	32	3						1				
Lynchburg, Va	do	19,709	2											
McKeesport, Pa	Nov. 11	20,741	17								2	1		
Malden, Mass	Nov. 18	23,031	7									1		
Manchester, N. H	do	44,126	25	3								1	1	
Medford, Mass	do	11,079	5											
Melrose, Mass	Nov. 11	8,519	2											
Do	Nov. 18	8,519	4											
Michigan City, Ind	do	10,776	3											

a Estimated population, 65,165—white, 28,870; colored, 36,295. b White, 9; colored, 22.